

10427 Cogdill Road, Suite 500 Knoxville, TN, 37932, US

Kaycha Labs

Absolute Truth CBD - 1oz Full Spectrum Body Support Tincture 1000mg

Matrix: Derivative



Certificate

Sample: KN10323007-002 Harvest/Lot ID: EC361018

Seed to Sale #N/A Batch Date : N/A Batch#: EC361018

Sample Size Received: 30 ml Total Weight/Volume: N/A

Retail Product Size: 30 ml Ordered: 03/18/21

sampled: 03/18/21

Completed: 03/24/21 Expires: 03/24/22 Sampling Method: SOP Client Method

PASSED

Page 1 of 1

of Analysis

Mar 24, 2021 | The Emerald Corp

Commack, NY, 11725, US











Pesticides



Heavy Metals



Microbials



Mycotoxins Residuals Solvents



Filth NOT TESTED



Water Activity



Moisture **NOT TESTED**



NOT TESTED

CANNABINOID RESULTS



Total THC 0.064%



Total CBD 3.690%



Total Cannabinoids 4.153%

	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	СВС	THCA
	0.076%	ND	ND	0.017%	3.690%	ND	ND	0.064%	ND	0.304%	ND
	0.760mg/g	ND	ND	0.170mg/g	36.900mg/ g	ND	ND	0.640mg/g	ND	3.040mg/g	ND
LOD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
	%	%	%	%	%	%	%	%	%	%	%

Cannabinoid Profile Test

Analyzed by	Weight	Extraction date :		Extracted By :	
113	0.2158g	03/23/21 12:03:03		946	
		Reviewed On - 03/24/21 09:16:41 Batch Date : 03/23/21 12:32:10			

Reagent Dilution Consums, ID

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310. This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is

Sue Ferguson

Lab Director

State License # n/a ISO Accreditation # 17025:2017



03/24/2021

Signature

Signed On